

## Talis S

Single lever basin mixer with pop-up waste set and swivel spout with 360° range

Surfaces: **chrome** Article Number: **32070000**



### Description

#### product features

- ComfortZone 200
- projection 145 mm
- normal spray
- flow rate: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- pop-up waste set G 1¼
- suitable for continuous flow water heaters
- swivel range 360°
- connection dimension: DN15
- SVGW 0408-4866
- DVGW NW-6506BS5027
- P-IX 9861/IA
- ETA VA 1.42/18540
- ACS 11 ACC LY 023, valide jusqu'au 05.05.2016
- WRAS 1112039
- Kiwa K6161\_Mechanical Mixers EN817

### Technology




### Certificates



### Product image



### Scale drawing




## Talis S

Single lever basin mixer with pop-up waste set and swivel spout with 360° range

Surfaces: **chrome** Article Number: **32070000**



### Flowchart



## Talis S


Single lever basin mixer with pop-up waste set and swivel spout with 360° range

Surfaces: **chrome** Article Number: **32070000**



### Exploded Drawing

Year of production: >08/13



## Talis S

Single lever basin mixer with pop-up waste set and swivel spout with 360° range

Surfaces: **chrome** Article Number: **32070000**



### Spare part list

Year of production: >08/13

Pos.	Description	Article Number	PC	PU
1	handle	32095000	-	1
2	screw cover	96338000	-	1
3	flange	96763000	-	1
4	nut	97209000	-	1
5	O-Ring 32x2	98193000	-	1
6	cartridge, assy	92730000	-	1
7	locking screw for handle	95140000	-	1
8	seal	95008000	-	1
9	spout cpl.	96521000	-	1
10	aerator M22x1 (5 l/min)	95455000	-	1
11	screw	97662000	-	1
12	sealing set	92646000	-	1
13	O-Ring 14x2,5	98189000	-	1
14	axialring	97558000	-	1
15	pull rod	96657000	-	1
16	O-ring 34x4	98155000	-	1
17	fixing set (Ø 32)	13961000	-	1
18	lever collar	97548000	-	1
19	connection hose 450 mm M8x0,75 G3/8	97206000	-	1
20	O-ring 7x1,5	98422000	-	1
a	pop up waste	94139000	-	1
b	fixation extension 35 mm	13898000	-	1