

## Focus

### 1-grebs køkkenarmatur 160

Overflader : **stainless steel finish** Art.Nr.: **31806800**



#### Beskrivelse

##### Kendetegn

- ComfortZone 160
- svingningsområde 360°
- normalstråle
- gennemstrømsmængde 12 l/min
- keramisk kartusche
- G 3/8-tilslutningsslanger
- DVGW NW-6506BR5780
- ETA VA 1.42/19796
- ACS 17 ACC LY 655, valide jusqu'au 20.06.2022
- JWWA C-501
- KCW-2012-0426
- Kiwa K6161\_Mechanical Mixers EN817
- SVGW 0706-5234
- SINTEF 1744


#### Teknologi



#### Produktbillede



#### Måltegning



## Focus


### 1-grebs køkkenarmatur 160

Overflader : stainless steel finish

Art.Nr.: 31806800



## Gennemløbsdiagram



## Focus

### 1-grebs køkkenarmatur 160


Overflader : stainless steel finish

Art.Nr.: 31806800



## Sprængskitse

Konstruktionsår: >04/17



**Focus****1-grebs køkkenarmatur 160**Overflader : **stainless steel finish** Art.Nr.: **31806800****Reservedelsliste**

Konstruktionsår: &gt;04/17

Pos.	Beskrivelse	Art.Nr.	PC	PU
1	Greb	95543800	10	1
2	Grebprop	96338000	1	1
3	Kappe	97995800	8	1
4	Møtrik	97996000	8	1
5	O-ring 30x2	98186000	1	1
6	Kartusche kpl.	92730000	11	1
7	Sikringsskrue	96059000	3	1
8	Tætning	95008XXX	3	-
9	Tud kpl.	98349800	16	1
10	Luftblander M24x1 (15 l/min)	13913800	7	1
11	Adapter til kartusche	98750000	4	1
12	O-ring 36x2,5	98190000	1	1
13	Tætningssæt	98702000	3	1
14	O-ring 41x2	98212000	1	1
15	Befæstelsesdel	97523000	2	1
16	Befæstigelse med omløber kpl. (Ø 34)	95049000	5	1
17	Glidring	97548000	1	1
18	Tilslutningsslange 600 mm M8x0,75 G3/8	96556000	7	1
19	O-ring 6,6x1,6	93019000	1	1